

Coronavirus disease 2019 (COVID-19)

Situation Report – 26

Data as reported by 15 February 2020*

HIGHLIGHTS

- Egypt reported its first confirmed case of COVID-19. This is the second country in the WHO EMRO region to confirm a case, and the first reported case from the African continent. WHO was informed by the Egyptian Ministry of Health and Population. More information (in Arabic) can be found in a [joint media statement](#) from the Ministry and WHO.
- In a speech to the Munich Security Conference, the WHO Director-General, Dr. Tedros Adhanom Ghebreyesus, described aspects of the COVID-19 outbreak situation that WHO finds encouraging, and areas of concern. Details can be found [here](#).
- WHO regional offices continue to support countries with their COVID-19 readiness efforts. More information can be found about the efforts in each of the regions here: [Africa](#); [Americas](#); [South-East Asia](#); [Europe](#); [Eastern Mediterranean](#); and [Western Pacific](#).

SITUATION IN NUMBERS

total and new cases in last 24 hours

Globally

50 580 laboratory-confirmed
(1527 new)

China

50 054 laboratory-confirmed
(1506 new)
1524 deaths (121 new)[†]


Outside of China

526 laboratory-confirmed
(21 new)
25 countries (1 new)
2 deaths

WHO RISK ASSESSMENT

China	Very High
Regional Level	High
Global Level	High

Figure 1. Countries, territories or areas with reported confirmed cases of COVID-19, 15 February 2020



*The situation report includes information provided by national authorities as of 10 AM Central European Time

†As reported by China

SURVEILLANCE

Table 1. Confirmed and suspected cases of COVID-19 acute respiratory disease reported by provinces, regions and cities in China, 15 February 2020*

Province/ Region/ City	Population (10,000s)	Daily					Cumulative			
		Laboratory confirmed	Clinically diagnosed	Total cases	Suspected cases	Deaths	Laboratory confirmed	Clinically diagnosed	Total cases	Deaths
Hubei	5917	1282	1138	2420	1216	139	37884	16522	54406	1457
Guangdong	11346	33	-	33	9	0	1294	-	1294	2
Henan	9605	28	-	28	153	2	1212	-	1212	13
Zhejiang	5737	7	-	7	23	0	1162	-	1162	0
Hunan	6899	13	-	13	50	0	1001	-	1001	2
Anhui	6324	16	-	16	13	0	950	-	950	6
Jiangxi	4648	13	-	13	21	0	913	-	913	1
Jiangsu	8051	11	-	11	3	0	604	-	604	0
Chongqing	3102	8	-	8	98	1	537	-	537	5
Shandong	10047	11	-	11	27	0	530	-	530	2
Sichuan	8341	7	-	7	72	0	470	-	470	1
Heilongjiang	3773	7	-	7	48	0	425	-	425	11
Beijing	2154	3	-	3	51	1	375	-	375	4
Shanghai	2424	8	-	8	87	0	326	-	326	1
Hebei	7556	8	-	8	8	0	291	-	291	3
Fujian	3941	4	-	4	6	0	285	-	285	0
Guangxi	4926	9	-	9	44	0	235	-	235	2
Shaanxi	3864	2	-	2	37	0	232	-	232	0
Yunnan	4830	6	-	6	39	0	168	-	168	0
Hainan	934	5	-	5	36	0	162	-	162	4
Guizhou	3600	3	-	3	4	0	143	-	143	1
Shanxi	3718	1	-	1	12	0	127	-	127	0
Tianjin	1560	1	-	1	128	0	120	-	120	3
Liaoning	4359	2	-	2	66	0	119	-	119	1
Gansu	2637	0	-	0	4	0	90	-	90	2
Jilin	2704	2	-	2	8	0	88	-	88	1
Ningxia	688	3	-	3	3	0	70	-	70	0
Xinjiang	2487	5	-	5	4	0	70	-	70	1
Inner Mongolia	2534	5	-	5	7	0	68	-	68	0
Hong Kong Sar	745	3	-	3	0	0	56	-	56	1
Taipei and environs	2359	0	-	0	0	0	18	-	18	0
Qinghai	603	0	-	0	0	0	18	-	18	0
Macao Sar	66	0	-	0	0	0	10	-	10	0
Xizang	344	0	-	0	0	0	1	-	1	0
Total	142823	1506	1138	2644	2277	143	50054	16522	66576	1524

*Deaths in table 1 include both lab-confirmed cases and clinically diagnosed cases of COVID-19.

Table 2. Countries, territories or areas outside China with reported laboratory-confirmed COVID-19 cases and deaths. Data as of 15 February 2020

WHO Region	Country/Territory/Area	Confirmed cases (new)	Total cases with travel history to China (new)	Total cases with possible or confirmed transmission outside of China [†] (new)	Total cases with site of transmission under investigation (new)	Total deaths (new)
Western Pacific Region	Singapore	67 (9)	22 (0)	44 (8)	1 (1)	0 (0)
	Japan	41 (8)	25 (1)	16 (7)	0 (0)	1 (0)
	Republic of Korea	28 (0)	13 (0)	12 ^{§§} (0)	3 (0)	0 (0)
	Malaysia	21 (2)	16 (1)	4 ^{**} (0)	1 (1)	0 (0)
	Viet Nam	16 (0)	8 (0)	8 (0)	0 (0)	0 (0)
	Australia	15 (0)	12 (0)	3 (0)	0 (0)	0 (0)
	Philippines	3 (0)	3 (0)	0 (0)	0 (0)	1 (0)
	Cambodia	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)
South-East Asia Region	Thailand	34 (1)	23 (0)	7 (1)	4 (0)	0 (0)
	India	3 (0)	3 (0)	0 (0)	0 (0)	0 (0)
	Nepal	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)
	Sri Lanka	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)
Region of the Americas	United States of America	15 (0)	13 (0)	2 (0)	0 (0)	0 (0)
	Canada	7 (0)	6 (0)	0 (0)	1 (0)	0 (0)
European Region	Germany	16 (0)	2 (0)	14 (0)	0 (0)	0 (0)
	France	11 (0)	5 (0)	6 (0)	0 (0)	0 (0)
	The United Kingdom	9 (0)	2 (0)	7 ^{***} (0)	0 (0)	0 (0)
	Italy	3 (0)	3 (0)	0 (0)	0 (0)	0 (0)
	Russian Federation	2 (0)	2 (0)	0 (0)	0 (0)	0 (0)
	Spain	2 (0)	0 (0)	2 [§] (0)	0 (0)	0 (0)
	Belgium	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)
	Finland	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)
Sweden	1 (0)	1 (0)	0 (0)	0 (0)	0 (0)	
Eastern Mediterranean Region	United Arab Emirates	8 (0)	6 (0)	1 (0)	1 (0)	0 (0)
	Egypt	1 (1)	0 (0)	1 (1)	0 (0)	0 (0)
Other	International conveyance (Japan)	218 ^{**} (0)	0 (0)	0 (0)	218 (0)	0 (0)

*Case classifications are based on [WHO case definitions](#) for COVID-19.

[†]Location of transmission is classified based on WHO analysis of available official data and may be subject to reclassification as additional data become available.

[‡]Confirmed cases in China include cases confirmed in Hong Kong SAR (56 confirmed cases, 1 death), Macao SAR (10 confirmed cases) and Taipei and environs (18 confirmed cases).

^{**}Cases identified on a cruise ship currently in Japanese territorial waters.


[§]The exposure for 2 cases occurred outside of Spain.

^{***}The exposure for 6 cases occurred outside of the United Kingdom.

^{§§}The exposure for 3 cases occurred outside of Republic of Korea.


^{**}The exposure for 1 case occurred outside of Malaysia. One patient also had travel history to China, but exposure likely occurred after return to Malaysia.

Figure 2. Epidemic curve of COVID-19 cases (n=204) identified outside of China, by date of onset of symptoms and travel history, 15 February 2020



Note for figure 2: Of the 526 cases reported outside China, 18 were detected while apparently asymptomatic. For the remaining 508 cases, information on date of onset is available only for the 204 cases presented in the epidemiologic curve.

Figure 3. Epidemic curve of COVID-19 cases (n=526) identified outside of China, by date of reporting and travel history, 15 February 2020



STRATEGIC OBJECTIVES

WHO's strategic objectives for this response are to:

- Limit human-to-human transmission including reducing secondary infections among close contacts and health care workers, preventing transmission amplification events, and preventing further international spread from China*;
- Identify, isolate and care for patients early, including providing optimized care for infected patients;
- Identify and reduce transmission from the animal source;
- Address crucial unknowns regarding clinical severity, extent of transmission and infection, treatment options, and accelerate the development of diagnostics, therapeutics and vaccines;
- Communicate critical risk and event information to all communities and counter misinformation;
- Minimize social and economic impact through multisectoral partnerships.

*This can be achieved through a combination of public health measures, such as rapid identification, diagnosis and management of the cases, identification and follow up of the contacts, infection prevention and control in health care settings, implementation of health measures for travelers, awareness-raising in the population and risk communication.

PREPAREDNESS AND RESPONSE

- To view all technical guidance documents regarding COVID-19, please go to [this webpage](#).
- WHO is working closely with International Air Transport Association (IATA) and have jointly developed a guidance document to provide advice to cabin crew and airport workers, based on country queries. The guidance can be found on the [IATA webpage](#).
- WHO has developed a protocol for the investigation of early cases (the "[First Few X \(FFX\) Cases and contact investigation protocol for 2019-novel coronavirus \(2019-nCoV\) infection](#)"). The protocol is designed to gain an early understanding of the key clinical, epidemiological and virological characteristics of the first cases of COVID-19 infection detected in any individual country, to inform the development and updating of public health guidance to manage cases and reduce potential spread and impact of infection.
- WHO has been in regular and direct contact with Member States where cases have been reported. WHO is also informing other countries about the situation and providing support as requested.
- WHO has developed interim guidance for [laboratory diagnosis, advice on the use of masks during home care and in health care settings in the context of the novel coronavirus \(2019-nCoV\) outbreak, clinical management, infection prevention and control in health care settings, home care for patients with suspected novel coronavirus, risk communication and community engagement](#) and [Global Surveillance for human infection with novel coronavirus \(2019-nCoV\)](#).
- WHO has prepared [disease commodity package](#) that includes an essential list of biomedical equipment, medicines and supplies necessary to care for patients with 2019-nCoV.
- WHO has provided recommendations to reduce risk of [transmission from animals to humans](#).
- WHO has published an [updated advice for international traffic in relation to the outbreak of the novel coronavirus 2019-nCoV](#).
- WHO has activated of R&D blueprint to accelerate diagnostics, vaccines, and therapeutics.
- WHO has developed an [online course](#) to provide general introduction to emerging respiratory viruses, including novel coronaviruses.
- WHO is providing guidance on early investigations, which are critical to carry out early in an outbreak of a new virus. The data collected from the protocols can be used to refine recommendations for surveillance and case definitions, to characterize the key epidemiological transmission features of COVID-19, help understand spread, severity, spectrum of disease, impact on the community and to inform operational models for implementation of

countermeasures such as case isolation, contact tracing and isolation. Several protocols are available here:

<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/early-investigations>

- WHO is working with its networks of researchers and other experts to coordinate global work on surveillance, epidemiology, modelling, diagnostics, clinical care and treatment, and other ways to identify, manage the disease and limit onward transmission. WHO has issued interim guidance for countries, which are updated regularly.
- WHO is working with global expert networks and partnerships for laboratory, infection prevention and control, clinical management and mathematical modelling.

RECOMMENDATIONS AND ADVICE FOR THE PUBLIC

During previous outbreaks due to other coronavirus (Middle-East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS), human-to-human transmission occurred through droplets, contact and fomites, suggesting that the transmission mode of the COVID-19 can be similar. The basic principles to reduce the general risk of transmission of acute respiratory infections include the following:

- Avoiding close contact with people suffering from acute respiratory infections.
- Frequent hand-washing, especially after direct contact with ill people or their environment.
- Avoiding unprotected contact with farm or wild animals.
- People with symptoms of acute respiratory infection should practice cough etiquette (maintain distance, cover coughs and sneezes with disposable tissues or clothing, and wash hands).
- Within health care facilities, enhance standard infection prevention and control practices in hospitals, especially in emergency departments.

WHO does not recommend any specific health measures for travellers. In case of symptoms suggestive of respiratory illness either during or after travel, travellers are encouraged to seek medical attention and share their travel history with their health care provider.